

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	441	buffer adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:05
L2	21	(buffer adj loop) with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:06
L3	13	2 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:06
L4	31794	buffer with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:06
L5	5752	4 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:06
L6	411	5 and (tag adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:07
L7	343	6 and portion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:07
L8	299	712/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:07
L9	4	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:07

## EAST Search History

L11	4	booth-lawrence-a.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:11
L12	2	((((portion near3 instruction) with (loop adj buffer)) same cache and (memory adj array)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:11



Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text"/>	<input type="text"/>	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="(( (portion&lt;near/3&gt;instruction) &lt;paragraph&gt; (loop&lt;near/1&gt;buffer)) &lt;paragraph&gt;cache&lt;and&gt; (memory&lt;near/1&gt;array))"/>	
<input type="text"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

**» Other Resources (Availa**

- ☒ IEEE Books

**» Standard Status**

(Applies to IEEE Standards)

Status  **» Select date range**

- ☐ Search latest content u
- ☒ From year  to

**» Display Format**

- ☒ Citation
- ☐ Citatic

**» Organize results**

Maximum    
Display  res  
Sort by   
In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by  
 Inspec



## IEEE XPLORE GUIDE

 e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[New Search](#)

```

((((portion<near/3>instruction)<paragraph> (loop<near/1>buffer))<paragraph>cache

```

## Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by  
 Inspect<sup>®</sup>

[Help](#)   [Contact Us](#)   [Privacy & :](#)

© Copyright 2006 IEEE —